Flexco Rubber Stair Tread by Flexco Corporation

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23603

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Flexco® Rubber Stair Tread encompasses a variety of resilient vulcanized Rubber Stair Tread products including risers and stringers designed for permanent indoor flooring installations. Naturally resistant to mold and mildew, Flexco Rubber Stair Treads are extremely durable and versatile. Their heavy-duty construction makes them an ideal solution for commercial environments; and they come in a variety of styles, colors and profiles. Flexco's Rubber Stair Tread formulation is screened according to current authoritative lists and does not contain any chemicals on the International Living Future Institute's Red List (Living Building Challenge, Imperative 10), substances of very high concern (SVHC) on the REACH candidate list or substances restricted under REACH. Please review the "General Notes" section below to view a description of applicable products.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm
- C Per GHS SDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

FLEXCO RUBBER STAIR TREAD [KAOLIN CLAY LT-UNK | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK EPOXIDIZED SOYBEAN OIL LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | AQU | SKI | MUL UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED BM-1 | RES | AQU | MUL | END UNDISCLOSED NoGS UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK | RES | SKI | EYE TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED BM-1 | CAN UNDISCLOSED BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentages (%) provided as ranges to protect proprietary information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: RFCI FloorScore

Multi-attribute: NSF/ANSI 332 Resilient Flooring: Platinum

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? PREPARER: Self-Prepared SCREENING DATE: 2021-01-27 © Yes VERIFIER: PUBLISHED DATE: 2021-01-27
© No VERIFICATION #: EXPIRY DATE: 2024-01-27



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

FLEXCO RUBBER STAIR TREAD

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPUBITIES CONSIDERED: Yes

but not sufficient for classification

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities.

OTHER PRODUCT NOTES: None.

KAOLIN CLAY ID: 1332-58-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27 %: 42.0000 - 58.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS CAN Carcinogen Group 3B - Evidence of carcinogenic effects MAK

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

%: 21.0000 - 36.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

EPOXIDIZED SOYBEAN OIL ID: 8013-07-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27

%: 1.8000 - 4.5000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part. UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27

%: 1.1000 - 1.6000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27
%: 0.9000 - 1.3000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Plasticizer
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27

%: 0.8500 - 1.2500 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27 %: 0.7000 - 1.3000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Processing regulator **HAZARD TYPE** AGENCY AND LIST TITLES WARNINGS AQU EU - GHS (H-Statements) H400 - Very toxic to aquatic life AQU EU - GHS (H-Statements) H410 - Very toxic to aquatic life with long lasting effects SKI EU - GHS (H-Statements) H317 - May cause an allergic skin reaction Class 2 - Hazard to Waters MUL German FEA - Substances Hazardous to Waters MAK SKI Sensitizing Substance Sh - Danger of skin sensitization SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk

assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED	ID: Undisclosed
-------------	-----------------

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-27		2021-01-27	
%: 0.4500 - 0.9000	GS: LT-1	RC: Non	e N	ANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES		WARNIN	GS	
CAN	EU - GHS (H-Statements)		H350 - M	lay cause ca	ncer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
MUL	ChemSec - SIN List		CMR - Ca	arcinogen, M	lutagen &/or Reproductive Toxicant
CAN	EU - Annex VI CMRs		•	jen Category al evidence	1B - Presumed Carcinogen based
CAN	GHS - Australia		H350 - M	lay cause ca	ncer

UNDISCLOSED ID: Undisclosed

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE:		ATE: 2021-01-27
%: 0.4500 - 0.9000	GS: LT-1	RC: Non	e NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	EU - GHS (H-Statements)	H350 - May cause cancer		
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should I regarded as if they are Carcinogenic to man		• •
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxica		en, Mutagen &/or Reproductive Toxicant
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen ba on animal evidence		
CAN	GHS - Australia		H350 - May cause	e cancer

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED		ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-27
%: 0.4000 - 0.8000	GS: BM-1	RC: None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous Waters	to Class 2 - Hazard to Waters
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27

%: 0.3000 - 0.6000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27

%: 0.2500 - 0.6000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Processing regulator HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

MUL German FEA - Substances Hazardous to Waters

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27

%: 0.1500 - 0.3000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Antioxidant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-27

%: 0.1000 - 0.3000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Processing regulator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed

None found

No warnings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-27	
%: 0.0700 - 0.1000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Processing regulator	r
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation	
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction	
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage	
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled	
RES	MAK	Sensitizing Substance Sa - Danger of airway sensitization	

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-01-27			
%: 0.0000 - 14.0000	GS: LT-1	RC: No	ne	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS	
CAN	US CDC - Occupational Carcinogens		Occup	oational Carcino	ogen
CAN	CA EPA - Prop 65		Carcin	nogen - specific	to chemical form or exposure route
CAN	IARC			2B - Possibly o	carcinogenic to humans - inhaled urces
END	TEDX - Potential Endocrine Disruptors	i	Poten	tial Endocrine D	Disruptor
CAN	MAK				a - Evidence of carcinogenic effects stablish MAK/BAT value
CAN	MAK			nogen Group 4 - nder MAK/BAT I	Non-genotoxic carcinogen with low levels
CAN	EU - GHS (H-Statements)		H351 -	- Suspected of	causing cancer

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

			ID: Undisclosed
Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-01-27
GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
AGENCY AND LIST TITLES	WAR	NINGS	
MAK			3 - Evidence of carcinogenic effects classification
	AGENCY AND LIST TITLES	GS: BM-1 RC: None AGENCY AND LIST TITLES WAR MAK Carc	GS: BM-1 RC: None NANO: No AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2021-01-27
%: 0.0000 - 5.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAI	RNINGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rout		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK		cinogen Group 3E	3 - Evidence of carcinogenic effects classification

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vulcanized rubber flooring part.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS RFCI FloorScore

CERTIFYING PARTY: Third Party ISSUE DATE: 2020- EXPIRY DATE: CERTIFIER OR LAB: SCS APPLICABLE FACILITIES: All 07-01 2021-06-30 Global Services

CERTIFICATE URL:

https://www.scscertified.com/products/cert_pdfs/Flexco_2020_SCS-

FS-02238_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: RFCI FloorScore Indoor Air Quality (IAQ) Certification is in compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as

MULTI-ATTRIBUTE

NSF/ANSI 332 Resilient Flooring: Platinum

CERTIFYING PARTY: Third Party ISSUE DATE: 2020- EXPIRY DATE: **CERTIFIER OR LAB: SCS** APPLICABLE FACILITIES: All. Global Services 04-01 2022-12-31

CERTIFICATE URL:

https://www.scscertified.com/products/cert_pdfs/Flexco_2020_SCS-

RF-04167 s.pdf

CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 332 is a voluntary, multi-attribute standard that evaluates the environmental and social impacts of resilient flooring products. Qualification of certification under this standard requires conformance to criteria including product design, product manufacturing, long-term value, end of life management, corporate governance, and innovation. Flexco Rubber Stair Tread products have been certified to the Platinum level of NSF/ANSI 332.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

EXCELSIOR EN-610 HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

EN-610 is a two-component, solvent free epoxy caulk adhesive designed for use with indoor installations of stair treads and stair nosings. EN-610 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.1-2012 (California Section 01350), effective January 1, 2012, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS-02963, valid from March 1, 2018 to February 28, 2019, Certificate URL:

https://www.scscertified.com/products/cert_pdfs/RHC_2018_SCS-FS-02963_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wpcontent/uploads/2017/01/Excelsior_EN-610_DataSheet.pdf

EXCELSIOR AW-510 HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

AW-510 is an acrylic wet-set adhesive used for the permanent installation of dimensionally stable vinyl, rubber and quartz flooring, wall base and stair tread products. AW-510 is water-based, low VOC and solvent free. AW-510 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.1-2012 (California Section 01350), effective January 1, 2012, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS-02963, valid from March 1, 2020 to February 28, 2020, Certificate URL: https://www.scscertified.com/products/cert_pdfs/RHC_2020_SCS-FS-02963_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_AW-510_DataSheet.pdf. VOC Content: <0.1 g/l.

EXCELSIOR FW-710 HPD URL: No HPD available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

EW-710 is a non-flammable two-part urethane-modified epoxy adhesive used for the permanent, indoor installation of vinyl, rubber and quartz flooring products. EW-710 is low VOC and solvent free. EW-710 is RFCI FloorScore® Indoor Air Quality (IAQ) certified by SCS Global Services, indicating compliance with CDPH/EHLB Standard Method v1.1-2012 (California Section 01350), effective January 1, 2012, for the school classroom, private office, and single-family residence parameters when modeled as flooring (Registration # SCS-FS-02963, valid from March 1, 2020 to February 28, 2021, Certificate URL: https://www.scscertified.com/products/cert_pdfs/RHC_2020_SCS-FS-02963_s.pdf). Technical Data Sheet URL: http://excelsiorproducts.net/wp-content/uploads/2017/01/Excelsior_EW-710_DataSheet.pdf. VOC Content: <12 g/l.

Section 5: General Notes

Flexco Rubber Stair Treads are available in a variety of styles, colors, sizes and profiles to fit a number of commercial environments including healthcare, education, retail and hospitality. Flexco Rubber Stair Treads are available in the following four palettes: FlexTones® (solid color), Creative Elements (marbleized), Wood Elements (wood marbleized) and SpexTones® (speckled.) Flexco Rubber Stair Treads come in a multitude of profiles including: Heavy & Extra Heavy Duty Radial®, Heavy Duty Radial® II with or without a riser and Heavy Duty Extended Radial® II, Heavy Duty Square2, Heavy Duty Hammered with or without a riser, Heavy or Extra Heavy Duty Diamond and Heavy Duty Smooth. Smooth and ribbed inserts, as well as abrasive strips are also available. Flexco Rubber Stair Treads are PVC- and phthalate-free. They're made in America and meet FloorScore®, NSF/ANSI 332 Platinum and CHPS criteria. Flexco's Rubber Stair Tread formulation is screened according to current authoritative lists and does not contain any chemicals on the International Living Future Institute's Red List (Living Building Challenge, Imperative 10), substances of very high concern (SVHC) on the REACH candidate list or substances restricted under REACH. Ingredients designated "Undisclosed" are kept confidential to protect proprietary information. Hazards shown in this Health Product Declaration may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substances, whereas the end product is a solid vulcanized rubber flooring part.

MANUFACTURER INFORMATION

MANUFACTURER: Flexco Corporation ADDRESS: 1401 East 6th Street

Tuscumbia Alabama 35674, United States

WEBSITE: http://www.flexcofloors.com

CONTACT NAME: Jacob Gentillon

TITLE: Chemist PHONE: 4196193388

EMAIL: jkgentillon@flexcofloors.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is

to a LT-1 or LTP1 score.)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.