Flexco ESD Solid Vinyl Tile by Flexco Corporation

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 88850117632 CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Flexco® Delane® ESD Solid Vinyl Tile is a vinyl flooring product designed to prevent electrostatic discharge (ESD) related damage. To control the static charge, FLEXCO combines conductive or dissipative vinyl tile with a specially-formulated conductive adhesive. This creates a conductive pathway, which allows the static to flow through the tile and along the adhesive to the ground point. That makes FLEXCO ESD static control vinyl flooring an effective first-choice solution to control unwanted human body voltage in areas where mobility cannot be restricted by wrist straps. Flexco ESD Solid Vinyl Tile is formulated with Bioplasticizer and no post-consumer recycled content is used, eliminating the possibility of contamination by orthophthalates. These products are manufactured without the use of toxic heavy metals such as Lead, Cadmium, Chromium VI, or Arsenic and the PVC resin used is manufactured without using Mercury cell and Asbestos membranes. Flexco's Delane ESD Solid Vinyl Tile formulation is screened according to current authoritative lists and does not contain any substances of very high concern (SVHC) on the REACH candidate list or substances restricted under REACH.

Section 1: Summary

CONTENT INVENTORY

- **Inventory Reporting Format** C Nested Materials Method
- Basic Method
- **Threshold Disclosed Per**
- O Material
- Product
- **Threshold Level** • 100 ppm C 1,000 ppm C Per GHS SDS O Other
- **Residuals/Impurities Evaluation**
- Completed C Partially Completed
- C Not Completed
- Explanation(s) provided : • Yes • No

Basic Method / Product Threshold

For all contents above the threshold, the m	
Characterized	O Yes O No
Provided weight and role.	
Screened	O Yes O No
Provided screening results using HPDC-ap	pproved
methods.	
Identified	⊖ Yes ⊙ No
Provided name and CAS RN or other iden	tifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

FLEXCO ESD SOLID VINYL TILE [LIMESTONE; CALCIUM CARBONATE BM-3dg POLYVINYL CHLORIDE (PVC) LT-P1 | MAM EPOXIDIZED SOYBEAN OIL LT-P1 | AQU UNDISCLOSED BM-1 | CAN | MAM TITANIUM DIOXIDE BM-1 | CAN | END | MAM UNDISCLOSED BM-1 | CAN | EYE | MAM | PHY UNDISCLOSED BM-1 | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | PBT | MUL | MAM | EYE UNDISCLOSED BM-3dg UNDISCLOSED LT-P1 | MUL]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1 Nanomaterial ... No **INVENTORY AND SCREENING NOTES:**

Percentages (%) provided as ranges to protect proprietary information.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: RFCI FloorScore® IAQ Certified : NSF/ANSI 332 Resilient Flooring: Platinum

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified? O Yes No

PREPARER: Self-Prepared VERIFIER: **VERIFICATION #:**

SCREENING DATE: 2024-03-21 PUBLISHED DATE: 2024-03-22 EXPIRY DATE: 2027-03-21

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

FLEXCO ESD SOLID VINYL TI	LE				
PRODUCT THRESHOLD: 100	opm RESIDUALS AND	IMPURITIES E	VALUATION COMPL	ETED: Yes	
RESIDUALS AND IMPURITIES	NOTES: There are no known residuals	or impurities.			
OTHER PRODUCT NOTES: No	one.				
LIMESTONE; CALCIUM CAR	BONATE				ID: 1317-65-3
HAZARD DATA SOURCE: P	haros Chemical and Materials Librar	у	HAZARD SC	CREENING DATE:	2024-03-21 12:17:40
%: 44.0000 - 56.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE	ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	ings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Ar	ditional Hazard Lists

POLYVINYL CHLORIDE (PVC)			ID: 9002-86-2
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZARI	D SCREENING DATE: 2024-03-21 12:17:41
%: 24.0000 - 36.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		,	use respiratory irritation [Specific target Single exposure - Category 3]
МАМ	GHS - Japan		repeated expos	a damage to organs through prolonged or sure [Specific target organs/systemic toxicity ated exposure - Category 1]

LIST NAME AND SOURCE	NOTIFICATION
Perkins+Will (P+W)	P&W - Precautionary List
	Precautionary list of substances recommended for avoidance
Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
	Core Restrictions
International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
	Red List substances to avoid in Living Building Challenge V4.0 projects
	Perkins+Will (P+W) Cradle to Cradle Products Innovation Institute (C2CPII)

EPOXIDIZED SOYBEAN OIL	-			ID: 8013-07-8
HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD S	SCREENING DATE: 2024-03-21 12:17:41
%: 9.0000 - 13.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	o listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	ibrary	HAZARD S	CREENING DATE: 2024-03-21 12:17:41
%: 0.0000 - 8.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

TITANIUM DIOXIDE					ID: 13463-67-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZARD S	CREENING DATE:	2024-03-21 12:17:41
%: 0.0000 - 6.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE F	ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Carc	inogens	Occupational Care	cinogen	
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical forn	n or exposure route
CAN	IARC		Group 2B - Possik from occupational	oly carcinogenic to h sources	umans - inhaled
CAN	МАК		* .	o 3A - Evidence of c o establish MAK/BA	
END	TEDX - Potential Endocrine	Disruptors	Potential Endocrir	ne Disruptor	
CAN	МАК		Carcinogen Group risk under MAK/B	•	carcinogen with low
CAN	IARC		Group 2b - Possib	bly carcinogenic to h	umans
CAN	EU - GHS (H-Statements) An	nex 6 Table 3-1	H351 - Suspected Category 2]	l of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	l of causing cancer [Carcinogenicity -
МАМ	GHS - Japan		repeated exposure	amage to organs thro e [Specific target org d exposure - Catego	gans/systemic toxicity

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	EPA)	Colorants - Green Circle (Verified Low Concern)

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-21 12:17:41				
%: 0.2000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Anti-static		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
CAN	US CDC - Occupational Carci	nogens	Occupational Car	cinogen		
CAN	МАК	МАК		p 3B - Evidence of carcinogenic effects for classification		
CAN	CA EPA - Prop 65	CA EPA - Prop 65 Carcinogen - specific to chemical form		cific to chemical form or exposure route		
CAN	IARC	IARC		Group 2b - Possibly carcinogenic to humans		
EYE	GHS - New Zealand	GHS - New Zealand		Eye irritation category 2		
CAN	GHS - New Zealand	GHS - New Zealand		Carcinogenicity category 2		
CAN	GHS - Japan	GHS - Japan		d of causing cancer [Carcinogenicity -		
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]		
РНҮ	GHS - Japan	HS - Japan H251 - Self-heating;; may catch fire [Self-heat substances and mixtures - Category 1]				
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
None found			No	o listings found on Additional Hazard Lists		

UNDISCLOSED

```
ID: Undisclosed
```

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ary	HAZAI	RD SCREENING DATE: 2024-03-21 12:17:41
%: 0.7000 - 1.2000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Ha Waters	azardous to	Class 2 - Haz	ard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
RESTRICTED LIST	International Living Future Ins	stitute (ILFI)	0	g Challenge 4.0 - Red List of Materials & Effective April 1, 2023
			Red List subs V4.0 projects	stances to avoid in Living Building Challenge

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: P	naros Chemical and Materials Library	y	HAZAR	D SCREENING DATE: 2024-03-21 12:17:41
%: 0.3600 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists
	ds as shown above may not represent Hazards are applicable to the initial sub	-		sure pathways and other factors in risk at is a solid vinyl flooring part.
	naros Chemical and Materials Library			D SCREENING DATE: 2024-03-21 12:17:4
AZAID DATA SOUNCE. FI		у	IIAZAN	D GORLENING DATE. 2024-03-21 12.17.4

HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Dis	sruptors	Potential End	ocrine Disruptor	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
None found				No listings found on A	dditional Hazard Lists
assessment are not define	 Hazards are applicable to the initial sub 	ostance, wherea	is the end produ	ct is a solid vinyl flooring	part.
	Dhaves Chamical and Matarials Library				ID: Undisclosed
	Pharos Chemical and Materials Librar	у	HAZAF	D SCREENING DATE:	
	Pharos Chemical and Materials Librar GreenScreen: LT-UNK	y RC: None	HAZAF NANO: No	D SCREENING DATE: SUBSTANCE ROLE:	2024-03-21 12:17:42
HAZARD DATA SOURCE:		-			2024-03-21 12:17:42
HAZARD DATA SOURCE: %: 0.1800 - 0.4200	GreenScreen: LT-UNK	-	NANO: No Warnings		2024-03-21 12:17:42 Heat or UV stabilizer
HAZARD DATA SOURCE: %: 0.1800 - 0.4200 HAZARD TYPE	GreenScreen: LT-UNK	-	NANO: No Warnings	SUBSTANCE ROLE: warnings found on HPE	2024-03-21 12:17:42 Heat or UV stabilizer
HAZARD DATA SOURCE: %: 0.1800 - 0.4200 HAZARD TYPE None found	GreenScreen: LT-UNK LIST NAME AND SOURCE	-	NANO: No WARNINGS No	SUBSTANCE ROLE: warnings found on HPE	2024-03-21 12:17:42 Heat or UV stabilizer

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-21 12:17:42		
%: 0.0800 - 0.2200	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS	
РВТ	EC - CEPA DSL	EC - CEPA DSL		oaccumulative and inherently Toxic (PBiTE) ment (based on aquatic organisms)
MUL	German FEA - Substances Waters	Hazardous to	Class 2 - Hazard to Waters	
MAM	GHS - Australia		H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]	
EYE	GHS - Australia			es serious eye damage [Serious eye rritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	1	NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists

UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: 1	Pharos Chemical and Materials Libra	ry	HAZARD S	SCREENING DATE: 2024-03-21 12:17:4
%: 0.0800 - 0.1500	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	(GSPI)	GSPI - Six Classe	es Precautionary List
			Some Solvents	

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE: F	Pharos Chemical and Materials Lib	orary	HAZAF	RD SCREENING DATE: 2024-03-21 12:17:42
%: 0.0200 - 0.0600	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE	1	WARNINGS	
MUL	German FEA - Substances Waters	Hazardous to	Class 2 - Haz	ard to Waters
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	-	NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore® IAQ Certified	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All.	ISSUE DATE: 2023-07-01 00:00:00 EXPIRY DATE: 2024-06-30 00:00:00	CERTIFIER OR LAB: SCS Global Services
CERTIFICATE URL: https://www.scsglobalservices.com/certified-		

CERTIFICATION AND COMPLIANCE NOTES: RFCI FloorScore® Indoor Air Quality (IAQ) Certification is in compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Registration # SCS-FS-02237.

MULTI-ATTRIBUTE	NSF/ANSI 332 Resilient Flooring: Plating	NSF/ANSI 332 Resilient Flooring: Platinum		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-11-01 00:00:00	CERTIFIER OR LAB: SCS Global		
APPLICABLE FACILITIES: All.	EXPIRY DATE: 2026-10-31 00:00:00	Services		

APPLICABLE FACILITIES: All. CERTIFICATE URL: https://cdn.scscertified.com/products/cert_pdfs/Flexco_2023_SCS-

RF-04165_s2.pdf

CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 332 is a voluntary, multi-attribute standard that evaluates the environmental and social impacts of resilient flooring products. Qualification of certification under this standard requires conformance to criteria including product design, product manufacturing, long-term value, end of life management, corporate governance, and innovation. Flexco ESD static control vinyl tile has been certified to the Platinum level of NSF/ANSI 332.

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

EXCELSIOR ASD-800

clients/certificates/7138

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: ASD-800 is an acrylic wet-set adhesive specifically designed for permanent indoor installation of ESD vinyl and rubber flooring materials. ASD-800 is water-based, low VOC and solvent free.

EXCELSIOR USD-810

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: USD-810 is a two-part, solvent-free urethane adhesive used for the permanent installation of ESD vinyl and rubber flooring products. USD-810 is low VOC and solvent-free, yet is highly aggressive and cured to a flexible, ESD film for superior adhesion.

Section 5: General Notes

Flexco's Delane ESD Solid Vinyl Tile formulation is screened according to current authoritative lists and does not contain any substances of very high concern (SVHC) on the REACH candidate list or substances restricted under REACH. Ingredients designated "Undisclosed" are kept confidential to protect proprietary information. Hazards shown in this Health Product Declaration may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substances, whereas the end product is a solid vinyl flooring part.

MANUFACTURER INFORMATION

MANUFACTURER: Flexco Corporation ADDRESS: 1401 East 6th Street Tuscumbia, AL 35674 COUNTRY: United States WEBSITE: http://www.flexcofloors.com CONTACT NAME: Jacob Gentillon TITLE: Chemist PHONE: 800.633.3151 EMAIL: jkgentillon@flexcofloors.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

Flexco ESD Solid Vinyl Tile

for compliance with the HPD standard noted.