# Flexco Solid Vinyl Tile by Flexco Corporation

**Health Product** Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 123669184512 CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Flexco® Solid Vinyl Tile flooring products encompass Delane® Solid Vinyl Tile and Geodesy® Solid Vinyl Tile. These products are well-suited for healthcare, office, retail and hospitality applications where durability and easy maintenance are desired. With its on-trend color palette and durable construction, Flexco Solid Vinyl Tile offers the perfect combination of style, functionality and simple no-wax maintenance while outperforming vinyl composition tile. Flexco solid vinyl tile is formulated with Bioplasticizer and no post-consumer recycled content is used, eliminating the possibility of contamination by ortho-phthalates. These products are manufactured without the use of toxic heavy metals such as Lead, Cadmium, Chromium VI, or Arsenic and the PVC resin used is manufactured without using Mercury cell and Asbestos membranes. Flexco's Solid Vinyl Tile formulation is screened according to current authoritative lists and does not contain any substances of very high concern (SVHC) on the REACH candidate list or substances restricted under REACH.



# Section 1: Summary

## **Basic Method / Product Threshold**

### **CONTENT INVENTORY**

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

**Threshold Level** 

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

○ Yes ⊙ No

Provided weight and role.

Screened

⊙ Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified

Provided name and CAS RN or other identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

FLEXCO SOLID VINYL TILE [ LIMESTONE; CALCIUM CARBONATE BM-3dg POLYVINYL CHLORIDE (PVC) LT-P1 | MAM EPOXIDIZED SOYBEAN OIL LT-P1 | AQU UNDISCLOSED BM-1 | CAN | MAM UNDISCLOSED BM-1 | CAN | END | MAM UNDISCLOSED BM-1 | CAN | EYE | MAM | PHY UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED BM-1 | PBT | MUL | MAM | EYE UNDISCLOSED BM-3dg UNDISCLOSED LT-P1 | MUL UNDISCLOSED BM-1 | MUL ]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

Percentages (%) provided as ranges to protect proprietary information.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listings.

VOC emissions: RFCI FloorScore

: NSF/ANSI 332 Resilient Flooring: Platinum

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2024-03-21 PUBLISHED DATE: 2024-03-22 EXPIRY DATE: 2027-03-21

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

### **FLEXCO SOLID VINYL TILE**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities.

OTHER PRODUCT NOTES: None.

# LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SC	REENING DATE: 2024-03-21 12:53:32
%: 43.0000 - 55.0000	GreenScreen: BM-3dg	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No I	istings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

POLYVINYL CHLORIDE (PVC) ID: 9002-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARI	O SCREENING DATE: 2024-03-21 12:53:32
%: <b>26.0000 - 38.0000</b>	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan		•	use respiratory irritation [Specific target Single exposure - Category 3]
MAM	GHS - Japan		repeated expos	damage to organs through prolonged or sure [Specific target organs/systemic toxicity ted exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects

EPOXIDIZED SOYBEAN OIL ID: 8013-07-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD S	SCREENING DATE: 2024-03-21 12:53:32
%: 8.0000 - 12.8000	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
AQU	GHS - New Zealand		Hazardous to the	aquatic environment - chronic category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZARD S	CREENING DATE: 2024-03-21 12:53:32
%: 0.0000 - 8.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Li	brary	HAZARD S	SCREENING DATE: 2024-03-21 12:53:32
%: 0.0000 - 6.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS	
CAN	US CDC - Occupational Ca	arcinogens	Occupational Car	cinogen
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route
CAN	IARC		Group 2B - Possil from occupational	bly carcinogenic to humans - inhaled I sources
CAN	MAK			p 3A - Evidence of carcinogenic effects to establish MAK/BAT value
END	TEDX - Potential Endocrine	e Disruptors	Potential Endocrin	ne Disruptor
CAN	MAK		Carcinogen Group risk under MAK/B	p 4 - Non-genotoxic carcinogen with low
CAN	IARC		Group 2b - Possik	oly carcinogenic to humans
CAN	EU - GHS (H-Statements)	Annex 6 Table 3-1	H351 - Suspected Category 2]	d of causing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected Category 2]	d of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic toxicity d exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
	EFA)	Colorants - Green Circle (Verified Low Concern)

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Libra	ıry	HAZARD S	CREENING DATE: 2024-03-21 12:53:
%: 0.2000 - 5.0000	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carci	nogens	Occupational Care	cinogen
CAN	MAK		Carcinogen Group but not sufficient f	o 3B - Evidence of carcinogenic effects or classification
CAN	CA EPA - Prop 65		Carcinogen - spec	cific to chemical form or exposure route
CAN	IARC		Group 2b - Possib	oly carcinogenic to humans
EYE	GHS - New Zealand		Eye irritation cate	gory 2
CAN	GHS - New Zealand		Carcinogenicity ca	ategory 2
CAN	GHS - Japan		H351 - Suspected Category 2]	of causing cancer [Carcinogenicity -
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]
PHY	GHS - Japan			ng;; may catch fire [Self-heating nixtures - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	у	HAZARD S	CREENING DATE: 2024-03-21 12:53:33
%: 0.3800 - 0.5200	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
I				

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZAI	RD SCREENING DATE: 2024-03-21 12:53:33
%: 0.3000 - 0.4600	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine [	Disruptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	,	HAZAF	RD SCREENING DATE: 2024-03-21 12:53:33
%: 0.2000 - 0.4500	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Heat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

UNDISCLOSED ID: Undisclosed						
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-21 12:53:33				
%: 0.1000 - 0.2200	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE:	Heat or UV stabilizer	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
РВТ	EC - CEPA DSL	EC - CEPA DSL		Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)		
MUL	German FEA - Substances Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
MAM	GHS - Australia	GHS - Australia		H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]		
EYE	GHS - Australia	GHS - Australia		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN		
None found				No listings found on Ad	dditional Hazard Lists	

SUBSTANCE NOTES: Hazards as shown above may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Librar	у	HAZARD S	SCREENING DATE: 2024-03-21 12:53:33	
%: 0.0700 - 0.1400	GreenScreen: BM-3dg	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	rnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Some Solvents		

UNDISCLOSED ID: Undisclosed

assessment are not defined. Hazards are applicable to the initial substance, whereas the end product is a solid vinyl flooring part.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-03-21 12:53:33

%: 0.0100 - 0.0800	GreenScreen: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Heat or UV stabilizer	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
None found				No listings found on Additional Hazard Lists	

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-03-21 12:53:33			
%: 0.0100 - 0.0800	GreenScreen: BM-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Heat or UV stabilizer		
HAZARD TYPE	LIST NAME AND SOURCE	LIST NAME AND SOURCE		WARNINGS		
MUL	German FEA - Substances Ha Waters	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N		
RESTRICTED LIST	International Living Future Ins	International Living Future Institute (ILFI)		Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023		
			Red List subs	tances to avoid in Living Building Challenge		

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

### **RFCI FloorScore**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2023-07-01 00:00:00 EXPIRY DATE: 2024-06-30 00:00:00 CERTIFIER OR LAB: SCS Global

**CERTIFICATE URL:** 

https://www.scsglobalservices.com/certified-

clients/certificates/7138

CERTIFICATION AND COMPLIANCE NOTES: RFCI FloorScore® Indoor Air Quality (IAQ) Certification is in compliance with CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Registration # SCS-FS-02237.

### **MULTI-ATTRIBUTE**

## NSF/ANSI 332 Resilient Flooring: Platinum

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All.

ISSUE DATE: 2023-11-01 00:00:00

CERTIFIER OR LAB: SCS Global

EXPIRY DATE: 2026-10-31 00:00:00

Services

**CERTIFICATE URL:** 

https://cdn.scscertified.com/products/cert\_pdfs/Flexco\_2023\_SCS-

RF-04165 s2.pdf

CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 332 is a voluntary, multi-attribute standard that evaluates the environmental and social impacts of resilient flooring products. Qualification of certification under this standard requires conformance to criteria including product design, product manufacturing, long-term value, end of life management, corporate governance, and innovation. Flexco vinyl tile products have been certified to the Platinum level of NSF/ANSI 332.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## **EXCELSIOR AW-510**

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: AW-510 is an acrylic wet-set adhesive used for the permanent installation of dimensionally stable vinyl, rubber and quartz flooring, wall base and stair tread products. AW-510 is water-based, low VOC and solvent free.

### **EXCELSIOR EW-710**

MANUFACTURER (OR GENERIC): Generic

HPD URL: No HPD available

ACCESSORY TYPE: Adhesive

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: EW-710 is a non-flammable two-part urethane-modified epoxy adhesive used for the permanent, indoor installation of vinyl, rubber and quartz flooring products. EW-710 is low VOC and solvent free.

# Section 5: General Notes

Flexco's Solid Vinyl Tile formulation is screened according to current authoritative lists and does not contain any substances of very high concern (SVHC) on the REACH candidate list or substances restricted under REACH. Ingredients designated "Undisclosed" are kept confidential to protect proprietary information. Hazards shown in this Health Product Declaration may not represent a significant health risk, as exposure pathways and other factors in risk assessment are not defined. Hazards are applicable to the initial substances, whereas the end product is a solid vinyl flooring part.

### **MANUFACTURER INFORMATION**

MANUFACTURER: Flexco Corporation ADDRESS: 1401 East 6th Street

Tuscumbia, AL 35674
COUNTRY: United States

WEBSITE: http://www.flexcofloors.com CONTACT NAME: Jacob Gentillon

TITLE: **Chemist** PHONE: **800.633.3151** 

EMAIL: jkgentillon@flexcofloors.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### **KEY**

## **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity **EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

