

EnviroFlex™

RUBBER SHEET + TILE

In-stock and custom colors for high-traffic applications.

FLEXCO®
AMERICAN-MADE FLOORING



Made in
the U.S.A.



Gardenia w/ Titanium & Nickel 448

EnviroFlex

RUBBER SHEET + TILE

The only high-performance flooring program that includes a 6' wide sheet, 24" x 24" tiles, 10-color in-stock palette and custom colors at no additional cost.*

Designed with performance, hygiene, style and sustainability in mind, EnviroFlex Rubber Sheet and Tile stands up and stands out.

Optimal sizing

- ~ **6' sheet**—a 74" x 50' roll size means fewer seams and germ reservoirs and faster, more efficient installations; also pairs with FlashCove™ Prefabricated Wall Base System, see page 7
- ~ **24" x 24" tiles**—provide more design possibilities and easy replacement if a single tile becomes damaged

In-stock and custom colors

- ~ **10 stocked colors**—on-trend, curated hues stocked in sheet
- ~ **Infinite custom colors**—create your own color combinations for sheet or tile

*Must meet minimum quantity for custom color



Nickel 443



High-performance

- ~ **Premium durability**—exceptional wear resistance and ability to support static loads up to 1,500 PSI
- ~ **2.5 mm thickness**—ideal gauge hides subfloor imperfections commonly seen with thinner products without the additional cost of a thicker material
- ~ **Enhanced safety due to excellent fire-resistant characteristics**—meets fire safety ratings for interior floor finish:
 - ~ ASTM E648 (NFPA 253) - Critical Radiant Flux Class 1, $\geq 0.45 \text{ W/cm}^2$
 - ~ ASTM E662 (NFPA 258) - Smoke Density Passes, ≤ 450
- ~ **Outstanding sound insulation**—meets the following ratings for acoustical performance:
 - ~ ASTM E2179 - Sound Reduction ΔIIC 11
 - ~ ASTM E492 - Impact Insulation Class IIC 50
 - ~ ASTM E90 - Sound Transmission Class STC 62
- ~ **Excellent chemical resistance in accordance with ASTM F925**—prevents damage from common chemicals
- ~ **Made in the U.S.A.**—20-year commercial warranty

Sustainable

- ~ **Red List Free**—promotes healthier indoor air quality and a healthier environment
- ~ **Environmentally responsible**—no coatings applied or required; GREENGUARD Gold, FloorScore and NSF 332 Level 1 certified; HPD and EPD available
- ~ **Recyclable**—return our flooring at the end of its product life cycle through the IMPACT Program. Scan the QR code to learn more.



RUBBER WELDING BEADS

Coordinated welding beads enable seamless installation for both sheet and tile. These are ideal for applications with stringent hygiene requirements.



EnviroFlex

RUBBER SHEET + TILE


Innovative color choices that will set your spaces apart.

In-stock palette


Select a color from our palette of 10 speckled hues that are stocked in sheet and ready to ship. No minimum quantity required.




Almond
440



Titanium
442



Medium Gray w/
Nickel & Titanium
444




Linen
446



Gardenia w/
Titanium & Nickel
448



Neutral
441



Nickel
443




Fjord
445



Linen w/ Baby's
Breath & Fjord
447



Bullseye
449



Custom colors


Our EnviroFlex program enables you to build your own custom colors at no additional cost.

Online visualizer makes customization simple:

- 1 Select one base and two chip colors from 68 hues that coordinate with other Flexco flooring products
- 2 Once you've completed your color selection, preview your coordinated result
- 3 Download your swatch and request a sample
- 4 A representative will contact you to verify your request and project information
- 5 We'll build and deliver your custom EnviroFlex sample



Scan the QR code to create your custom flooring.



Choose your own combinations.

Tone-on-tone

Build your own subtly patterned custom color by adding varying percentages of that same hue.

BASE



Balsam
511

COLOR CHIP 1



Balsam
511 (+10%)

COLOR CHIP 2



Balsam
511 (-10%)

FINAL COLOR




Balsam
Tone-on-tone

Bold look

Bring energy into your space by choosing a light base, the opposite contrasting hue for chip 1 and an unexpected bright hue for chip 2.

BASE



Linen
011

COLOR CHIP 1




Storm Cloud
516

COLOR CHIP 2



Cerulean
527


FINAL COLOR



Classic with added depth

For a dramatic look, choose a deep navy base, then mix in a warm tan accent for chip 1 and medium brown for chip 2.

BASE



Midnight Blue
099

COLOR CHIP 1




Barley
034

COLOR CHIP 2



Milk Chocolate
056

FINAL COLOR



EnviroFlex

RUBBER SHEET + TILE

Beneath the surface, EnviroFlex is just as impressive.

The science inside each square foot of our flooring ensures this sheet and tile will perform in high-traffic commercial spaces—especially for healthcare and education applications.


- ~ **Resilient, homogeneous construction**—offers dimensional stability that is stronger than vinyl and less likely to crack and chip
- ~ **Hygienic, infection-control properties**—easy to clean and disinfect, minimizing spread of germs and bacteria
- ~ **Impact resistant**—prevents damage from heavy objects, equipment and rolling loads (e.g., hospital beds)
- ~ **Exceeds ADA recommendations for slip resistance**—helps lessen slips and falls by staff and patients
- ~ **Comfortable underfoot**—softer, cushioned surface reduces fatigue for teachers and nurses
- ~ **Low-maintenance**—Easier to clean, which contributes to the lifetime cost of the floor and allows for faster room turnover between patients in healthcare settings



Scan here to see a rubber maintenance demonstration.



Neutrall 441



Linen w/ Baby's Breath & Fjord 447

EnviroFlex


RUBBER SHEET

Rubber Sheet pairs seamlessly with FlashCove Prefabricated Wall Base System for added protection.

To further enhance durability, safety and hygienic properties, EnviroFlex is designed to work with our aluminum-reinforced FlashCove System. It creates a strong, puncture-proof, gap-free fit and finish that is unmatched in the industry. This combination is ideal for any healthcare or intense, high-traffic application.

EnviroFlex and FlashCove

- ~ **Custom fit**—the FlashCove system is custom-made to work with your EnviroFlex floor for complete coordination
- ~ **Easy to install**—delivered in ready-to-install 10' lengths; ideal for new installations, retrofits and repairs
- ~ **Virtually seamless protection**—keeps dirt, germs and bacteria from settling into cracks
- ~ **Lifetime Puncture Proof Warranty**—safeguards against damage from machinery, equipment and wheelchairs
- ~ **Optional caps**—further protect edges with a stainless chiklet cove cap or Flexco Cove Caps 197 or 197R



Flexco Sheet
Flooring

Stainless steel chiklet cove cap

Bonded puncture-proof
aluminum reinforcement





Linen w/ Baby's Breath & Fjord 447





Gardenia w/ Titanium & Nickel 448 wave pattern
cut into Medium Gray w/ Nickel & Titanium 444

Ideal applications include:

- ~ Healthcare
- ~ Operating rooms
- ~ Patient care rooms
- ~ Imaging suites
- ~ Labs
- ~ K-12 and higher education
- ~ Classrooms
- ~ Cafeterias
- ~ Airports
- ~ Municipal and government buildings
- ~ Retail spaces
- ~ Pharmacies
- ~ Lobbies
- ~ Grocery stores
- ~ Elevators

RECOMMENDED ADHESIVES

See product technical data sheets on flexcofloors.com for a complete list of approved adhesives.



INSPIRATIONS CUSTOM CUT DESIGN SERVICE

EnviroFlex can be custom cut to add logos, branding, designs, wayfinding and more to add interest in corridors or hallways. Our advanced water-jet cutting creates polished, professional results.

PRODUCT DETAILS

EnviroFlex Rubber Sheet

Order Prefix	EFX
Gauge	.100" (2.5 mm)
Size	74" x 50' (1.83 m x 15.24 m)
Weight	9 Lbs./Sq. Yd.
Sq. Yd.	33.3 Sq. Yd./Roll

EnviroFlex Rubber Tile

Order Prefix	EFX
Gauge	.100" (2.5 mm)
Size	24" x 24" (61 cm x 61 cm)
Pcs./Carton	18
Lbs./Carton	54
Sq. Ft./Carton	72

