

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Flexco Floors

1401 E. 6th Street, Tuscumbia, Alabama 35674, United States

For the following product(s):

Vinyl Tile and Tread:

Geodesy® Solid Vinyl Tile, Delane® Solid Vinyl Tile, Delane® ESD Static Dissipative Vinyl Tile, Delane® ESD Conductive Vinyl Tile, Vinyl Stair Treads

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-105 v4.2-2023.

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as flooring and wall base.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-02237

Valid from: July 01, 2026 to June 30, 2027

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink.

Diana Kirsanova Phillips, Chief of Staff to the CEO / Chief Assurance Officer
SCS Global Services